Refine Search

Search Results -

Term	Documents
(4 AND 22).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	130
(L22 AND L4).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	130

Database:

Database:

Database:

Database:

Database:

Derwent World Patents Index IBM Technical Disclosure Bulletins

Recall Text

Clear

L23

Refine Search

Interrupt

Search History

DATE: Tuesday, August 16, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L23</u>	L22 and 14	130	<u>L23</u>
<u>L22</u>	(work or temp\$6 or general) near3 register\$1 near8 11	4837	<u>L22</u>
<u>L21</u>	120 and 14	143	<u>L21</u>
<u>L20</u>	(work or temp\$6 or general) near3 register\$1 near15 11	5709	<u>L20</u>
<u>L19</u>	L17 and 15	1668	<u>L19</u>
<u>L18</u>	L17 and l4	144	<u>L18</u>
<u>L17</u>	(work or temp\$6 or general) near3 register\$1 near30 l1	6035	<u>L17</u>
<u>L16</u>	L14 and 15	1681	<u>L16</u>
<u>L15</u>	L14 and l4	144	<u>L15</u>
<u>L14</u>	(work or temp\$6 or general) near3 register\$1 near7011	6095	<u>L14</u>
<u>L13</u>	L12 and l4	298	<u>L13</u>

WEST Refine Search Page 2 of 2

<u>L12</u>	(work or temp\$6 or general) near3 register\$1 and 11	16215	<u>L12</u>
<u>L11</u>	(work or temp\$6 or general) near3 register\$1	23235	<u>L11</u>
<u>L10</u>	L9 and fetch\$5	25063	<u>L10</u>
<u>L9</u>	11 and (decod\$3)	159675	<u>L9</u>
DB=	PGPB,USPT; PLUR=YES; OP=OR		
<u>L8</u>	13 and 15	8	<u>L8</u>
<u>L7</u>	13 and 14	0	<u>L7</u>
<u>L6</u>	11 and 14	4930	<u>L6</u>
<u>L5</u>	(712/202-300)![CCLS]	8025	<u>L5</u>
<u>L4</u>	(717/104-143)![CCLS]	5499	<u>L4</u>
DB=	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L3</u>	L1 and (2\$push\$4 or 2\$pop\$4)	33	<u>L3</u>
<u>L2</u>	L1 near25 (2\$push\$4 or 2\$pop\$4)	0	<u>L2</u>
<u>L1</u>	(transfer\$6 or mov\$3) near15 register\$1 near15 (memor\$4 or stack) near15 (one or single) (microinstruction or command\$3 or instruction or macro or macroinstruction\$1)	1105968	<u>L1</u>

END OF SEARCH HISTORY



Rome | Login | Logour | Access information | Alt

J in the i			Welcome United States Patent and Trademark Office					
Search Resu	llts	39998	BROWSE SEARCH IEEE XPLORE GUIDE					
Your search	(((macro, macroinstrcuction*) < r matched 31 of 1225093 document of 31 results are displayed, 25 to a	S.	h*, pop*, mov*)) <in>metadata)** d by Relevance in Descending order.</in>					
e Search Opt	ions							
View Session	n History	Modif	fy Search					
New Search		(((macro, macroinstrcuction*) <near 8=""> (push*, pop*, mov*))<in>metadata)</in></near>						
			Check to search only within this results set					
» Key		Displa	ay Format: Citation Citation & Abstract					
ieee jnl	IEEE Journal or Magazine							
IEE JNL	IEE Journal or Magazine	Select	Article information					
ieee Cnf	IEEE Conference Proceeding							
IEE CNF	IEE Conference Proceeding		26. Self-sustained hysteretic motional oscillations of a single atom pumped by a laser standing Kaplan, A.E.;					
BEER STO	IEEE Standard		Quantum Electronics and Laser Science Conference, 1999. Technical Digest. Summaries of Paper 23-28 May 1999 Page(s):75 - 76 Digital Object Identifier 10.1109/QELS.1999.807325					
			AbstractPlus Full Text: PDF(244 KB) ##### CNF					
			27. A vibration control strategy for a boom-mounted manipulator system for high-speed positio Moallem, M.; Patel, R.V.; Intelligent Robots and Systems, 1999. IROS '99. Proceedings, 1999 IEEE/RSJ International Confei Volume 1, 17-21 Oct. 1999 Page(s):299 - 304 vol.1 Digital Object Identifier 10.1109/IROS.1999.813020 AbstractPlus Full Text: PDE(412 KB) ###################################					
		.	28. Impact of imperfect link adaptation In EGPRS Molkdar, D.; Featherstone, W.; 3G Mobile Communication Technologies, 2001. Second International Conference on (Conf. Publ. N. 26-28 March 2001 Page(s):277 - 281					
			AbstractPlus Full Text: PDF(388 KB) ### CNF					
		20000 8:	29. Cycle-accurate macro-models for RT-level power analysis Qing Wu; Qinru Qiu; Pedram, M.; Chih-Shun Ding; Very Large Scale Integration (VLSI) Systems, IEEE Transactions on Volume 6, Issue 4, Dec. 1998 Page(s):520 - 528 Digital Object Identifier 10.1109/92.736123 AbstractPlus References Full Text: PDE(232 KB) IEEE JNL					
			30. Interacting multiple model based method to track moving fluorescent biological spots Genovesio, A.; Bo Zhang; Olivo-Marin, JC.; Biomedical Imaging: Macro to Nano, 2004. IEEE International Symposium on 15-18 April 2004 Page(s):1239 - 1242 Vol. 2 Digital Object Identifier 10.1109/ISBI.2004.1398769 AbstractPlus Full Text: PDF(486 KB) IEEE CNF					
			31. Shape memory alloy bending actuator for catheter with movable link and guide wires Muoung-Soon Kim; Seung-Ki Lee; Sang-Hoon Lee; Micromechatronics and Human Science, 1997. Proceedings of the 1997 International Symposium					

5-8 Oct. 1997 Page(s):219 - 224 Digital Object Identifier 10.1109/MHS.1997.768883 AbstractPlus | Full Text: PDF(364 KB) IEEE CNF



indexed by #Inspec* Help Contact Us Privac & Copyright 2005 (£



Home | Login | Logour | Access information | Alc

EE	E Xplore -		Welcome United States Patent and Trademark Office					
Search Results				erowse	SEARCH	IEEE XPLORE GUIDE		
Your search	((macro, macroInstreuction*) <r matched 31 of 1225093 document of 31 results are displayed, 25 to a</r 	s.			er.		e-mail	
e Search Opt	ions							
View Session	: History	Modify	Search					
New Search		(((mac	(((macro, macroinstrcuction*) <near 8=""> (push*, pop*, mov*))<in>metadata)</in></near>					
			heck to search	only within this res	sults set			
» Key		Displa	y Format:	Citation	Citation & Abstra	ıct		
ieee jnl	IEEE Journal or Magazine							
IEE JNL	IEE Journal or Magazine	Select	Article infor	mation				
ieee Cnf	IEEE Conference Proceeding							
IEE CNF	IEE Conference Proceeding		26. Self-susta Kaplan, A.	_	notional oscillations of a	a single atom pumped by a la	ser standing	
BEES STO	IEEE Standard				ser Science Conference,	1999. Technical Digest. Summi	aries of Paper	
			-	/ 1999 Page(s):75 iect Identifier 10.1	- 76 109/QELS. 1999. 807325			
				•	E(244 KB) III EE CNF			
				n control strateg M.; Patel, R.V.;	y for a boom-mounted n	nanipulator system for high-s	peed positio	
					ms, 1999. IROS '99. Proc	eedings. 1999 IEEE/RSJ Intern	ational Confei	
					Page(s):299 - 304 vol.1 109/IROS.1999.813020			
					E(412 KB) IIIEE CNF			
		gani	28. Impact of	imperfect link ad	aptation in EGPRS			
			•	D.; Featherstone, V	•			
				Communication T ch 2001 Page(s):2	-	nd International Conference on	(Conf. Publ. N	
					E(388 KB) 1888 CNP			
			-		dels for RT-level power a n, M.; Chih-Shun Ding;	inalysis		
					(VLSI) Systems, IEEE To	ransactions on		
				Issue 4, Dec. 19 ject Identifier 10.1	98 Page(s):520 - 528 109/92.736123			
			AbstractP	lus References	Full Text: PDF(232 KB)	IEEE JNL		
		\$	30 Interactin	a multinie model	hased method to track	moving fluorescent biologica	al enote	
				o, A.; Bo Zhang; O		moving nacrescent brologica	· spots	
					o Nano, 2004. IEEE Inter	national Symposium on		
			•	il 2004 Page(s):12 ject Identifier 10.1	109/ISBI.2004.1398769			
			AbstractP	us Full Text: PDF	(486 KB) IEEE CNF			
		,	31.					
			Shape me	emory alloy bend	ing actuator for catheter	r with movable link and guide	wires	

Muoung-Soon Kim; Seung-Ki Lee; Sang-Hoon Lee;

Micromechatronics and Human Science, 1997. Proceedings of the 1997 International Symposium (

5-8 Oct. 1997 Page(s):219 - 224
Digital Object Identifier 10.1109/MHS.1997.768883
AbstractPlus | Full Text: PDF(364 KB)

Help Contact Us Privac © Copyright 2005 (€

Indexed by Inspec



Home | Login | Logour | Access information | Alc

ILLE	xplore"		Welcome United States Patent and Trademark Office							
Search Results				erowse	SEARCH	IEEE XPLORE GUIDE				
Your search r	((((macro, macroinstrcuction*) < natched 11 of 51 documents. of 100 results are displayed, 25 to a						⊘ e-mail			
o Search Opti	ons									
View Session	History	Modif	y Search							
New Search			((((((macro, macroinstrcuction*) <and> (push*, pop*, mov*) <and> register*)<in>mel</in></and></and>							
			Check to sea	rch only within this result	s set					
» Key		Displa	y Format:	Citation	Citation & Abstra	act				
ieee jnl	IEEE Journal or Magazine									
iee Jnl	IEE Journal or Magazine	Select	Article li	dermation						
IEEE CNF	IEEE Conference Proceeding	,,,,,,	1 Kovo	omnonante of the fact s	nducad instruction s	et computer (FRISC) employi	na advanced			
IEE CNF	IEE Conference Proceeding		-	and wafer scale multich		et computer (FRISC) employe	ig auvanceu			
)E€⊞ \$''() IEEE Standard			Bipola 12-13	Greub, H.J.; McDonald, J.F.; Creedon, T.; Bipolar Circuits and Technology Meeting, 1988., Proceedings of the 1988 12-13 Sept. 1988 Page(s):19 - 22 Digital Object Identifier 10.1109/BIPOL.1988.51035						
				ctPlus Full Text: PDF(3						
			Corno, Evoluti Volum	ent machine-code test-p F.; Cumani, G.; Sonza F ionary Computation, 200 e 2, 12-17 May 2002 Pa Object Identifier 10.1108	Reorda, M.; Squillero, (2. CEC '02. Proceeding ge(s):1486 - 1491	3.; gs of the 2002 Congress on				
			Abstra	ctPlus Full Text: PDF(5	72 KB) IEEE CNF					
			Soder	man, D.; Panchul, Y.;		ed ANSI C to RTL Verilog con				
			16-19	g HDL Conference and V March 1998 Page(s):22 Object Identifier 10.1109	- 29	rs Forum, 1998. IVC/VIUF. Prod	eedings., 199			
			Abstra	ctPlus Full Text: <u>PDF</u> (6	00 KB) IEEE CNF					
			Malono Memos 9-10 A		nd Testing, 1999. Reco	ords of the 1999 IEEE Internation	onal Workshop			
			Abstra	ct <u>Plus</u> Full Text: <u>PDF</u> (1	04 KB) KEEE CNF					
			Zergai VLSI S 16-18 Digital	noh, A.; Duhamel, P.;	995. IEEE Signal Proci - 276 9/VLSISP 1995.527498	st FIR filtering algorithms essing Society [Workshop on]				
			r.world							
			6. Persp	ective on BiCMOS						

Wong, T.; ASIC Seminar and Exhibit, 1989. Proceedings., Second Annual IEEE 25-28 Sept. 1989 Page(s):P1 - 2/1-4 Digital Object Identifier 10.1109/ASIC.1989.123174 AbstractPlus | Full Text: PDF(152 KB) NEEC CNF 7. A 300 K-circuit ASIC logic family Petrovick, J., Jr.; Taylor, R.; Bertolet, A.; Chu, A.; Harroun, T.; Keyser, F.; LaMarche, C.; Pastel, L.; Worth, B.; Solid-State Circuits Conference, 1990. Digest of Technical Papers. 37th ISSCC., 1990 IEEE Intern: 14-16 Feb. 1990 Page(s):88 - 89, 270 Digital Object Identifier 10.1109/ISSCC.1990.110142 AbstractPlus | Full Text: PDE(884 KB) | KEEE CNF 8. High speed data bus macro instruction set architecture Prohofsky, T.; Aerospace and Electronics Conference, 1991. NAECON 1991., Proceedings of the IEEE 1991 Nati 20-24 May 1991 Page(s):192 - 196 vol.1 Digital Object Identifier 10.1109/NAECON.1991.165745 AbstractPlus | Full Text: PDF(328 KB) REEE CNF 9. An embedded in-circuit emulator generator for SOC platform \Box Yuan-Long Jeang; Liang-Bi Chen; Yi-Ting Chou; Hsin-Chia Su; Field-Programmable Technology (FPT), 2003. Proceedings. 2003 IEEE International Conference o 15-17 Dec. 2003 Page(s):315 - 318 AbstractPlus | Full Text: PDF(433 KB) | IEEE CNF 10. Macro-based hardware compilation of Java[™] bytecodes into a dynamic reconfigurable com ___ Cardoso, J.M.P.; Neto, H.C.; Field-Programmable Custom Computing Machines, 1999. FCCM '99. Proceedings. Seventh Annua 21-23 April 1999 Page(s):2 - 11 Digital Object Identifier 10.1109/FPGA.1999.803662 AbstractPlus | Full Text: PDF(812 KB) IEEE CNF 11. Re-inventing the DRAM for embedded use: a compiled, wide-databus DRAM macrocell with low power Foss, R.C.; Wu, J.; Benzreba, J.; Valcourt, G.; Vlasenko, P.; Wang, Y.; Gillingham, P.; Custom Integrated Circuits Conference, 1998., Proceedings of the IEEE 1998 11-14 May 1998 Page(s):283 - 286 Digital Object Identifier 10.1109/CICC.1998.694981 AbstractPlus | Full Text: PDE(440 KB) ISEE CNF

Help Contact Us Privac

Copyright 2005 IE

indexed by #Inspec*